

### Introduction to 3D Scientific Visualization

Training in Visualization for PRACE Summer of HPC 2013 Leon Kos, University of Ljubljana, Slovenia







#### Motto

- Few correctly put words is worth hundreds of images.
- To be able to place correct conclusions on complex phenomena, visualization is needed.
- At the end we want to draw simple graphs to understand behavior.
- The purpose of visualization is *insight*.

### The problem

- Many experiments (real or simulation) generate huge amount of data
- Many data is multi-dimensional
- Many phenomena should not be observed isolated
- Verification by real experiment is not always possible or very expensive.



#### 3D scientific visualization


- Why it is much more complex?
  - Size of data increase exponentially compared to 1D/2D data
  - 2D screen implies loss of some information
  - You have to select parts of interest into your data
  - "What you see is what you want to show" is not as simple
- Many different ways to render your data
  - Not compatible with all types of data
  - Some ways can be combined
  - You have to select the most adapted to your needs


# PARTNERSHIP FOR ADVANCED COMPUTING IN EUROPE



### Use cases

- Data exploration
- Comparative analysis
- Quantitative analysis
- Visual debugging
- Presentation graphics
- Systems control









## Visualization in general

- Data = geometry + structure + values
  - Uniform data medicine
  - Regular data CFD
  - Irregular data mechanics, molecular structures, cosmology –
- Data dimensions
  - space
  - time-space
  - abstract dimensions



## Data

### Geometry

- •N-dimensional point coordinates (n=1,2,3,4)
- Naturally given or calculated on the basis of structure or values
- Explicit or easily calculable

## Structure (mesh)

- Logical relations between points
- Usually imposes possible interpolations
- Problem dependent

## Values (fields)

- Scalar
- Vector
- Tensor
- Species, etc



## Data and Time in a Database (or a file)

- STSD a single time step and a single domain
- MTSD multiple time step but only a single domain
- STMD a single time step but multiple domains
- MTMD multiple time steps and multiple domains




#### **Data formats**


- Brick Of Values (BOV)
- NETCDF climate research (parallel I/O)
- HDF5 hierarchical, self-describing array data (parallel I/O)
- SILO LLNL favorite on top of HDF
- VTK general purpose ASCII
- MDSplus for experimental data
- Many "custom" formats available





• Point, Curve













• 2D/3D Rectilinear




• 2D/3D Curvilinear













Unstructured






Adaptive Mesh Refinement (AMR)





Domain Decomposed

Linkage by Ghost zones (G)






Fields: • Scalar, Vector, Tensor, Material volume


fractions, Species


#### **Positioning:**


Zone centering

Node centering











## Visualization of 3D phenomena

- Ray casting (ray tracing) result is a pixel intensity with color that includes material and light interaction. Mostly used for rendering.
- Surface rendering triangle clouds get projected to screen coordinates. Most commonly used method.
- Volume rendering casting rays through lattice and gathering pixel intensity. Computationally expensive
- Combination of above



### 3D visualization tools concepts

- Local installed tool (common and usual)
  - For small data
  - with little CPU power
  - not graphically intensive
- Visualization workstation (same as above with added values in connectivity, power and graphics performance)
- Remotely installed tool accessed by general remote desktop protocol (RDP, NX, VNC) – tool nearby data and CPU power, network protocol is a limiting factor, software rendering





## 3D visualization tools concepts (cont.)

- Remotely installed tool accessed by specialized network protocol (VirtualGL+VNC) – Solves network protocol limitation (to some extent) and adds remote graphics acceleration in hardware. Usually single user facility that requires advance reservation.
- Distributed client-server model GUI and window locally. Metadata and window contents is exchanged with visualization (compute) engines. No remote graphics that must be locally powerful enough!
- Parallel client-server model (same as above with tighter CPU linkage)



## Session and interactivity concepts

- Batch (send a job and receive image as result)
- No session constantly opened transport between client and engine
- Session access provided remote desktop disconnects/reconnects are possible
- Session store/restore visualization configuration only
- Instrumentation a concept of attachments to simulation
- Session attachments provided by visualization engine (non-existent to date)



### Tools for 3D Scientific Visualization

- Publicly (governmental, private, consortium) driven open source tools
  - General purpose (Vislt, ParaView, MayaVi, OpenDX, Vapor, ...)
  - Specialized (AntZ, splotch, ...)
- Visualization libraries for specialized visualization
  - Visualization Tool-Kit (VTK), Imaging TK, root toolkit, ...
  - OpenInventor, OpenGL general purpose (raw graphics only)
- Commercial tools
  - General purpose (Avizo, IDL, LabView, ...)
  - Specialized and usually part of "package"



#### The Visualization Toolkit


- Scientific visualization library
- Open-source, cross platform, driven by Kitware
- Most advanced features, used in public and private projects
- C++ object oriented, interfaced with Java, Python, Tcl
- Easy integration into GUI: Qt, Tk, Swing
- Stable, support parallel processing
- Open-source applications built on top of VTK
   Paraview (Kitware), Vislt (LLNL), Mayavi (Enthought)

#### PARTNERSHIP FOR ADVANCED COMPUTING IN EUROPE



### **Paraview**







### Vislt

